



DETAIL A




LEFT AS VIEWED FROM ENTRY SIDE RIGHT



NOTES:

1. MATERIAL USAGE: 4" [102 mm]
2. WHEN USING PERFORATOR:  
MAXIMUM NET FREE AREA = 3.08  
SQUARE INCHES PER 12 INCHES  
OF PERFORATION  
[1987 sq. mm / 304.8 mm]
3. MAXIMUM OF TWO PERFORATIONS  
PER PANEL.
4. DUAL DIMENSIONS: Inch [mm]

OPENING SIZE .50 [12.7] X .12 [3.0] = .06 SQ. IN. [38.7 sq. mm]  
 OPENINGS PER 12 INCH LENGTH [304.8 mm] = 51.25  
 NET FREE AREA / 12 INCH = .06 SQ IN X 51.25 = 3.08 SQ IN.  
 [net free area / 304.8 mm = 38.7 sq. mm X 51.25 = 1983 sq. mm]

MATERIAL		WEIGHT		FINISH		 <b>NEW TECH MACHINERY CORP.</b>		PART NAME		
				NONE				1" SSQ FLUSH WALL/SOFFIT PANEL		
REVISION HISTORY	REV	ECR NO.	DATE	RELEASED BY		TOLERANCES		DRAWN BY	PART NUMBER	
	0	N/A	01/07/2013	JD		.XX = ± .01		BT		
	1	N/A	07/08/2014	JD		.XXX = ± .005		DATE		
						FRACTION = ± 1/32"		01/07/2013		
					ANGLE = ± 1/2'		CHECK BY	SHEET	REVISION	
							JD			
							DATE	FWQ-100P	1 OF 1	1
							01/07/2013			